

気象データ 1967年1月

日数: 31 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気	
1	2.0	-1.1	0.5	-	8.0	2	23	///	///	///	冬日
2	4.2	0.0	2.1	5.2	11.0	15	18	///	///	///	真冬日
3	-0.1	-5.0	-2.5	2.7	10.0	11	30	///	///	///	真冬日
4	-3.0	-5.7	-4.3	-	21.0	24	41	///	///	///	真冬日
5	-0.8	-5.7	-3.2	0.3	10.0	14	57	///	///	///	真冬日
6	2.6	-6.7	-2.0	4.4	2.0	3	58	///	///	///	冬日
7	3.2	-2.9	0.2	1.0	18.0	17	50	///	///	///	冬日
8	-2.0	-5.5	-3.7	1.7	10.0	9	58	///	///	///	真冬日
9	-0.8	-9.9	-5.3	3.3	13.0	16	57	///	///	///	真冬日
10	-0.4	-6.5	-3.4	5.0	5.0	3	68	///	///	///	真冬日
11	-1.6	-9.1	-5.3	3.7	1.0	1	60	///	///	///	真冬日
12	4.6	-7.5	-1.4	5.0	0.0	0	56	///	///	///	冬日
13	5.6	-4.7	0.5	2.8	3.0	3	47	///	///	///	冬日
14	-2.0	-4.1	-3.0	1.4	16.0	16	45	///	///	///	真冬日
15	-2.0	-7.7	-4.8	3.9	3.0	3	57	///	///	///	真冬日
16	-2.8	-11.5	-7.1	6.0	10.0	12	54	///	///	///	真冬日
17	-2.0	-13.0	-7.5	3.7	4.0	8	61	///	///	///	真冬日
18	3.8	-7.5	-1.8	6.3	4.0	0	63	///	///	///	冬日
19	5.0	-4.1	0.5	2.4	4.0	4	53	///	///	///	冬日
20	3.2	-3.9	-0.3	5.5	0.0	0	51	///	///	///	冬日
21	5.2	-3.2	1.0	5.6	-	-	48	///	///	///	冬日
22	10.0	-5.0	2.5	6.2	3.0	4	45	///	///	///	冬日
23	1.8	-3.6	-0.9	6.2	3.0	4	45	///	///	///	冬日
24	6.9	-3.7	1.6	3.3	1.0	0	46	///	///	///	冬日
25	5.6	-1.8	1.9	5.8	0.0	0	41	///	///	///	冬日
26	7.6	-4.5	1.6	7.7	-	-	38	///	///	///	冬日
27	7.8	-7.1	0.4	1.9	-	-	36	///	///	///	冬日
28	0.7	-5.0	-2.1	0.1	10.0	14	34	///	///	///	冬日
29	4.9	-3.1	0.9	3.0	7.0	9	46	///	///	///	冬日
30	1.8	-0.7	0.6	2.9	10.0	13	48	///	///	///	冬日
31	0.4	-5.4	-2.5	7.2	9.0	12	55	///	///	///	冬日
合計値	69.4	-165.2	-46.8	114.2	196.0	217.0	1489.0		冬日	19	
月平均	2.2	-5.3	-1.5	3.9	7.0	7.8	48.0		真冬日	11	
月極値	10.0	-13.0		7.7	21.0	24.0	68.0				

気象データ 1967年2月

日数: 28 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気	
1	1.4	-7.1	-2.8	6.2	5.0	4	62	///	///	///	冬日
2	4.2	-6.8	-1.3	7.1	0.0	0	61	///	///	///	冬日
3	8.2	-5.1	1.6	8.8	-	-	55	///	///	///	冬日
4	4.6	-8.1	-1.7	7.5	0.0	0	48	///	///	///	冬日
5	5.9	-3.9	1.0	6.9	0.0	0	45	///	///	///	冬日
6	7.6	-2.8	2.4	8.8	-	-	43	///	///	///	冬日
7	8.4	-4.9	1.8	3.0	0.0	0	40	///	///	///	冬日
8	3.7	-0.7	1.5	0.5	7.0	9	38	///	///	///	冬日
9	1.6	-3.5	-0.9	6.3	1.0	1	46	///	///	///	冬日
10	0.8	-6.7	-2.9	4.9	0.0	0	44	///	///	///	冬日
11	0.4	-9.0	-4.3	8.3	0.0	0	43	///	///	///	冬日
12	-1.8	-9.5	-5.6	6.8	4.0	6	41	///	///	///	真冬日
13	-3.5	-9.1	-6.3	2.1	8.0	6	46	///	///	///	真冬日
14	1.2	-10.6	-4.7	7.7	2.0	2	52	///	///	///	冬日
15	0.4	-9.2	-4.4	6.6	3.0	3	52	///	///	///	冬日
16	2.8	-7.6	-2.4	5.9	3.0	4	52	///	///	///	冬日
17	2.8	-4.4	-0.8	4.5	22.0	26	53	///	///	///	冬日
18	1.2	-4.7	-1.7	6.0	3.0	5	75	///	///	///	冬日
19	5.4	-5.5	0.0	8.0	0.0	0	72	///	///	///	冬日
20	7.8	0.6	4.2	4.9	-	-	56	///	///	///	
21	5.8	-6.5	-0.3	8.6	-	-	52	///	///	///	冬日
22	8.4	-8.2	0.1	9.2	0.0	-	50	///	///	///	冬日
23	7.0	-3.0	2.0	0.4	2.0	-	45	///	///	///	冬日
24	4.0	0.3	2.2	7.0	8.0	10	41	///	///	///	
25	5.8	-1.4	2.2	8.0	0.0	0	50	///	///	///	冬日
26	3.0	-5.6	-1.3	8.5	0.0	0	44	///	///	///	冬日
27	6.8	-7.3	-0.2	9.2	2.0	4	42	///	///	///	冬日
28	2.8	-5.5	-1.3	9.0	0.0	1	45	///	///	///	冬日
29											
30											
31											
合計値	106.7	-155.8	-23.9	180.7	70.0	81.0	1393.0		冬日	24	
月平均	3.8	-5.6	-0.9	6.5	2.9	3.7	49.8		真冬日	2	
月極値	8.4	-10.6		9.2	22.0	26.0	75.0				

気象データ 1967年3月

日数: 31 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気	
1	6.8	-5.9	0.6	8.6	1.0	-	40	///	///	///	冬日
2	11.0	-0.3	4.9	7.6	-	-	36	///	///	///	冬日
3	12.8	0.5	6.1	8.4	-	-	32	///	///	///	冬日
4	10.9	-2.7	4.9	8.7	2.0	-	27	///	///	///	冬日
5	2.0	1.0	2.4	-	9.0	7	21	///	///	///	冬日
6	4.2	-2.9	0.9	7.1	-	-	28	///	///	///	冬日
7	2.5	-7.6	-2.3	9.5	0.0	1	24	///	///	///	冬日
8	4.4	-5.7	-2.1	10.2	-	-	23	///	///	///	冬日
9	3.8	-7.3	-1.8	7.7	-	-	23	///	///	///	冬日
10	4.9	-6.7	-0.9	8.1	0.0	0	13	///	///	///	冬日
11	5.8	-2.7	1.6	9.1	0.0	0	11	///	///	///	冬日
12	5.0	-4.8	0.1	6.4	2.0	-	8	///	///	///	冬日
13	8.4	-2.7	2.9	8.9	0.0	0	6	///	///	///	冬日
14	4.9	-3.3	0.8	8.4	0.0	0	6	///	///	///	冬日
15	6.0	-3.3	1.4	5.4	2.0	0	0	///	///	///	冬日
16	10.0	-0.7	4.7	9.5	-	-	0	///	///	///	冬日
17	8.6	-1.5	3.6	10.6	9.0	-	0	///	///	///	冬日
18	5.8	0.3	3.1	-	9.0	0	0	///	///	///	
19	7.4	0.5	4.0	6.3	0.0	0	0	///	///	///	
20	11.1	-4.4	3.4	9.1	4.0	-	0	///	///	///	冬日
21	5.6	-1.8	1.9	8.6	3.0	-	-	///	///	///	冬日
22	5.7	0.1	2.9	-	3.0	-	-	///	///	///	
23	7.3	1.5	4.4	9.1	6.0	10	-	///	///	///	
24	5.0	-3.0	1.0	7.3	0.0	0	10	///	///	///	冬日
25	11.4	-1.4	5.0	6.6	0.0	-	0	///	///	///	冬日
26	15.4	-0.4	7.5	10.9	-	-	-	///	///	///	冬日
27	15.4	3.2	9.3	0.3	2.0	-	-	///	///	///	
28	11.8	5.5	8.7	6.2	0.0	0	-	///	///	///	
29	12.2	-1.6	5.3	8.3	-	-	-	///	///	///	冬日
30	16.2	-1.1	7.6	9.0	1.0	-	-	///	///	///	冬日
31	14.8	5.5	10.2	2.6	0.0	-	-	///	///	///	
合計値	257.1	-53.7	102.1	218.5	53.0	18.0	308.0		冬日	22	
月平均	8.3	-1.7	3.3	7.8	2.3	1.5	14.0				
月極値	16.2	-7.6		10.9	9.0	10.0	40.0				

気象データ 1967年4月

日数: 30 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気
1	15.4	7.7	11.6	10.6	-	-	///	///	///	///
2	15.6	1.5	8.6	8.4	11.0	-	///	///	///	///
3	12.8	5.5	9.2	1.4	4.0	-	///	///	///	///
4	11.6	7.0	9.3	0.2	10.0	0	///	///	///	///
5	12.8	2.1	7.5	7.1	1.0	0	///	///	///	///
6	16.0	3.5	9.8	8.4	0.0	x	///	///	///	///
7	11.4	2.2	6.8	11.3	-	x	///	///	///	///
8	14.4	-2.6	5.9	10.8	-	x	///	///	///	///
9	12.6	4.2	8.4	0.2	0.0	x	///	///	///	///
10	10.0	8.0	14.0	4.9	11.0	x	///	///	///	///
11	13.0	7.5	10.3	7.0	-	x	///	///	///	///
12	13.8	-1.3	6.3	11.3	0.0	x	///	///	///	///
13	12.1	3.9	8.0	3.3	0.0	x	///	///	///	///
14	18.0	5.3	11.7	9.0	0.0	x	///	///	///	///
15	12.4	2.2	7.3	9.0	-	x	///	///	///	///
16	12.8	-0.7	6.1	8.9	-	x	///	///	///	///
17	15.7	1.5	8.6	11.0	0.0	x	///	///	///	///
18	17.0	2.7	9.9	4.9	0.0	x	///	///	///	///
19	17.8	7.9	12.9	5.1	18.0	x	///	///	///	///
20	15.4	10.3	12.9	0.6	9.0	x	///	///	///	///
21	13.8	7.5	10.7	0.5	2.0	x	///	///	///	///
22	9.9	7.3	8.6	2.3	0.0	x	///	///	///	///
23	12.4	3.3	7.9	8.5	0.0	x	///	///	///	///
24	16.6	3.0	9.8	11.5	-	x	///	///	///	///
25	20.6	0.0	10.3	11.8	-	x	///	///	///	///
26	23.2	1.8	12.5	11.7	-	x	///	///	///	///
27	25.8	5.0	15.4	11.5	-	x	///	///	///	///
28	18.0	8.9	13.5	2.2	2.0	x	///	///	///	///
29	24.4	10.8	17.6	9.2	-	x	///	///	///	///
30	27.9	9.7	18.8	12.0	-	x	///	///	///	///
31										
合計値	473.2	135.7	310.2	214.6	68.0	0.0			冬日	3
月平均	15.8	4.5	10.3	7.2	3.8	0.0				
月極値	27.9	-2.6		12.0	18.0	0.0				

# 気象データ 1967年5月

日数: 31 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気
1	23.0	11.5	17.3	3.1	2.0	///	///	///	///	///
2	24.0	5.6	14.8	10.2	-	///	///	///	///	///
3	26.2	5.5	15.9	11.7	1.0	///	///	///	///	///
4	21.2	9.9	15.6	11.9	-	///	///	///	///	///
5	24.4	3.7	14.1	11.8	-	///	///	///	///	///
6	26.6	5.5	16.1	8.6	6.0	///	///	///	///	///
7	16.8	11.5	14.2	-	3.0	///	///	///	///	///
8	19.0	10.3	14.7	9.0	-	///	///	///	///	///
9	21.4	11.1	16.3	8.6	2.0	///	///	///	///	///
10	24.2	11.3	17.8	-	2.0	///	///	///	///	///
11	24.2	12.4	18.3	8.4	0.0	///	///	///	///	///
12	25.2	7.9	16.6	8.7	-	///	///	///	///	///
13	25.9	7.8	16.9	11.8	-	///	///	///	///	///
14	24.9	8.0	16.5	8.8	0.0	///	///	///	///	///
15	19.6	4.8	12.2	12.1	-	///	///	///	///	///
16	19.8	8.3	14.1	9.4	-	///	///	///	///	///
17	25.2	6.9	16.1	8.1	0.0	///	///	///	///	///
18	25.5	6.1	15.8	10.9	0.0	///	///	///	///	///
19	22.0	9.5	15.8	11.4	0.0	///	///	///	///	///
20	22.0	5.0	13.5	10.5	-	///	///	///	///	///
21	26.0	5.7	15.9	12.3	-	///	///	///	///	///
22	30.2	7.0	18.6	12.5	-	///	///	///	///	///
23	31.2	10.7	21.0	11.2	-	///	///	///	///	///
24	31.2	12.1	21.7	10.6	-	///	///	///	///	///
25	29.6	11.4	20.5	12.1	-	///	///	///	///	///
26	28.0	11.5	19.8	11.3	-	///	///	///	///	///
27	24.2	13.2	18.7	7.3	-	///	///	///	///	///
28	23.8	16.2	20.0	3.5	15.0	///	///	///	///	///
29	23.6	14.4	19.0	6.7	1.0	///	///	///	///	///
30	24.2	13.3	18.8	9.3	0.0	///	///	///	///	///
31	27.4	12.8	20.1	11.5	-	///	///	///	///	///
合計値	760.5	290.9	526.7	283.3	32.0				夏日	10
月平均	24.5	9.4	17.0	9.8	2.3				真夏日	3
月極値	31.2	3.7		12.5	15.0					

気象データ 1967年6月

日数: 30 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気	
1	31.2	12.2	21.7	11.7	-	///	///	///	///	///	真夏日
2	24.6	15.0	19.8	10.2	-	///	///	///	///	///	夏日
3	29.2	7.3	18.3	11.1	1.0	///	///	///	///	///	夏日
4	24.4	12.3	18.4	5.2	3.0	///	///	///	///	///	夏日
5	26.6	14.8	20.7	5.7	4.0	///	///	///	///	///	夏日
6	22.2	15.6	18.9	7.8	13.0	///	///	///	///	///	夏日
7	19.6	12.0	15.8	8.2	0.0	///	///	///	///	///	夏日
8	22.1	9.9	16.0	11.1	-	///	///	///	///	///	夏日
9	21.6	13.9	17.8	5.2	0.0	///	///	///	///	///	夏日
10	25.2	14.9	20.1	7.2	-	///	///	///	///	///	夏日
11	23.0	17.8	20.4	5.0	-	///	///	///	///	///	夏日
12	28.8	14.8	21.8	9.7	0.0	///	///	///	///	///	夏日
13	25.6	14.7	20.2	6.2	-	///	///	///	///	///	夏日
14	26.8	12.6	19.7	10.2	-	///	///	///	///	///	夏日
15	26.6	13.0	19.8	11.6	-	///	///	///	///	///	夏日
16	28.4	11.5	20.0	11.6	-	///	///	///	///	///	夏日
17	29.6	15.8	22.7	6.6	2.0	///	///	///	///	///	夏日
18	26.8	14.2	20.5	5.7	1.0	///	///	///	///	///	夏日
19	29.2	15.5	22.4	9.8	-	///	///	///	///	///	夏日
20	27.8	14.1	21.0	10.0	-	///	///	///	///	///	夏日
21	28.8	16.1	22.5	11.8	-	///	///	///	///	///	夏日
22	30.0	14.2	22.1	7.5	1.0	///	///	///	///	///	真夏日
23	29.6	15.8	22.7	9.2	-	///	///	///	///	///	夏日
24	30.6	14.5	22.6	11.3	-	///	///	///	///	///	真夏日
25	30.4	15.6	23.0	8.5	26.0	///	///	///	///	///	真夏日
26	21.6	16.6	19.1	2.7	6.0	///	///	///	///	///	夏日
27	27.9	12.6	20.3	11.1	-	///	///	///	///	///	夏日
28	24.2	15.6	19.9	5.7	13.0	///	///	///	///	///	
29	23.8	17.0	20.4	5.4	-	///	///	///	///	///	
30	23.0	13.3	18.2	10.2	-	///	///	///	///	///	
31											
合計値	789.2	423.2	606.8	253.2	70.0				夏日	15	
月平均	26.3	14.1	20.2	8.4	5.4				真夏日	4	
月極値	31.2	7.3		11.8	26.0						

気象データ 1967年7月

日数: 31 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気
1	24.8	8.2	16.5	12.6	-	///	///	///	///	///
2	27.0	10.4	18.7	9.0	28.0	///	///	///	///	///
3	27.8	17.2	22.5	6.0	0.0	///	///	///	///	///
4	25.1	20.5	22.8	2.0	1.0	///	///	///	///	///
5	27.6	16.1	21.9	7.9	0.0	///	///	///	///	///
6	24.0	19.9	22.0	0.3	3.0	///	///	///	///	///
7	26.8	19.8	23.3	9.2	-	///	///	///	///	///
8	25.2	16.0	20.6	7.4	0.0	///	///	///	///	///
9	26.3	17.6	22.0	5.6	11.0	///	///	///	///	///
10	26.4	19.8	23.1	7.1	0.0	///	///	///	///	///
11	29.9	17.7	23.8	10.2	-	///	///	///	///	///
12	32.0	18.8	25.4	9.6	-	///	///	///	///	///
13	28.6	20.2	24.4	8.4	2.0	///	///	///	///	///
14	29.8	21.4	25.6	1.1	8.0	///	///	///	///	///
15	32.2	22.7	27.5	9.6	-	///	///	///	///	///
16	33.0	21.3	27.2	9.3	0.0	///	///	///	///	///
17	32.7	22.2	27.5	8.5	2.0	///	///	///	///	///
18	33.5	20.8	27.2	10.1	-	///	///	///	///	///
19	33.0	20.2	26.6	11.8	-	///	///	///	///	///
20	33.8	22.1	28.0	6.7	-	///	///	///	///	///
21	33.3	22.9	28.1	5.3	0.0	///	///	///	///	///
22	34.4	22.3	28.4	7.7	0.0	///	///	///	///	///
23	34.0	22.5	28.3	10.4	-	///	///	///	///	///
24	34.5	22.9	28.7	9.3	-	///	///	///	///	///
25	34.3	22.1	28.2	10.9	-	///	///	///	///	///
26	35.5	22.8	29.2	8.1	-	///	///	///	///	///
27	32.4	24.3	28.4	5.9	2.0	///	///	///	///	///
28	33.1	23.0	28.1	5.8	120.0	///	///	///	///	///
29	31.1	21.3	26.2	8.5	0.0	///	///	///	///	///
30	31.6	19.6	25.6	10.2	-	///	///	///	///	///
31	31.8	20.0	25.9	11.7	-	///	///	///	///	///
合計値	945.5	616.6	781.7	246.2	177.0				夏日	11
月平均	30.5	19.9	25.2	7.9	10.4				真夏日	17
月極値	35.5	8.2		12.6	120.0				猛暑日	1

気象データ 1967年8月

日数: 31 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気	
1	31.0	20.8	25.9	8.3	-	///	///	///	///	///	真夏日
2	31.0	21.1	26.1	9.3	-	///	///	///	///	///	真夏日
3	31.8	19.9	25.9	9.8	-	///	///	///	///	///	真夏日
4	32.2	21.1	26.7	10.2	-	///	///	///	///	///	真夏日
5	31.8	21.4	26.6	7.3	0.0	///	///	///	///	///	真夏日
6	32.0	22.3	27.2	10.1	-	///	///	///	///	///	真夏日
7	30.8	16.7	23.8	11.7	-	///	///	///	///	///	真夏日
8	30.4	17.7	24.1	11.7	-	///	///	///	///	///	真夏日
9	30.9	16.2	23.6	11.7	-	///	///	///	///	///	真夏日
10	34.5	17.3	25.9	11.9	12.0	///	///	///	///	///	真夏日
11	27.9	23.3	25.6	2.0	7.0	///	///	///	///	///	夏日
12	27.7	17.4	22.6	4.4	10.0	///	///	///	///	///	夏日
13	27.6	21.2	24.4	0.2	6.0	///	///	///	///	///	夏日
14	32.4	23.5	28.0	9.4	1.0	///	///	///	///	///	真夏日
15	31.8	24.0	27.9	6.8	0.0	///	///	///	///	///	真夏日
16	31.2	23.8	27.5	6.1	2.0	///	///	///	///	///	真夏日
17	29.2	22.6	25.9	3.4	3.0	///	///	///	///	///	夏日
18	29.8	15.5	22.7	10.0	-	///	///	///	///	///	夏日
19	30.1	14.3	22.2	9.6	-	///	///	///	///	///	真夏日
20	28.6	19.1	23.9	6.2	-	///	///	///	///	///	夏日
21	28.6	19.8	24.2	5.1	-	///	///	///	///	///	夏日
22	31.6	20.7	26.2	11.1	0.0	///	///	///	///	///	真夏日
23	33.3	21.2	27.3	5.5	-	///	///	///	///	///	真夏日
24	29.2	21.8	25.5	4.7	13.0	///	///	///	///	///	夏日
25	32.3	21.2	26.8	9.8	-	///	///	///	///	///	真夏日
26	31.1	15.0	23.1	8.2	5.0	///	///	///	///	///	真夏日
27	30.2	19.0	24.6	9.7	7.0	///	///	///	///	///	真夏日
28	24.4	19.6	22.0	1.1	67.0	///	///	///	///	///	
29	30.4	20.4	25.4	6.4	2.0	///	///	///	///	///	真夏日
30	26.4	18.9	22.7	6.8	0.0	///	///	///	///	///	夏日
31	23.6	18.0	20.8	1.8	1.0	///	///	///	///	///	
合計値	933.8	614.8	775.1	230.3	136.0				夏日	9	
月平均	30.1	19.8	25.0	7.4	8.0				真夏日	20	
月極値	34.5	14.3		11.9	67.0						

気象データ 1967年9月

日数: 30 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気	
1	27.6	16.9	22.3	9.1	-	///	///	///	///	///	夏日
2	29.4	16.2	22.8	7.6	-	///	///	///	///	///	夏日
3	26.4	19.9	23.2	1.5	2.0	///	///	///	///	///	夏日
4	23.4	20.6	22.0	-	7.0	///	///	///	///	///	
5	26.0	19.5	22.8	3.6	4.0	///	///	///	///	///	夏日
6	25.4	19.7	22.6	2.2	0.0	///	///	///	///	///	夏日
7	27.4	17.3	22.4	10.8	-	///	///	///	///	///	夏日
8	27.0	15.5	21.3	7.3	18.0	///	///	///	///	///	夏日
9	22.0	17.1	19.7	3.0	4.0	///	///	///	///	///	
10	25.4	17.0	21.2	4.5	0.0	///	///	///	///	///	夏日
11	25.8	19.7	22.8	3.4	7.0	///	///	///	///	///	夏日
12	24.4	18.2	21.3	1.0	1.0	///	///	///	///	///	
13	25.6	18.2	21.9	5.0	13.0	///	///	///	///	///	夏日
14	22.4	17.4	19.9	4.5	1.0	///	///	///	///	///	
15	19.4	15.1	17.3	-	4.0	///	///	///	///	///	夏日
16	26.6	16.1	21.4	5.9	3.0	///	///	///	///	///	
17	22.6	18.1	20.4	0.3	14.0	///	///	///	///	///	
18	24.6	17.8	21.2	3.2	31.0	///	///	///	///	///	
19	25.3	17.2	21.3	9.4	-	///	///	///	///	///	夏日
20	19.6	11.6	15.6	3.1	4.0	///	///	///	///	///	
21	17.6	14.7	16.2	-	10.0	///	///	///	///	///	
22	23.6	14.3	19.0	7.0	-	///	///	///	///	///	夏日
23	27.4	13.3	20.4	8.7	0.0	///	///	///	///	///	
24	///	17.2	///	3.5	1.0	///	///	///	///	///	夏日
25	25.6	16.5	21.1	8.8	-	///	///	///	///	///	
26	23.6	9.6	16.6	9.8	-	///	///	///	///	///	
27	23.8	8.0	15.9	11.0	-	///	///	///	///	///	
28	23.2	8.5	15.9	10.7	-	///	///	///	///	///	
29	25.0	9.1	17.1	10.0	-	///	///	///	///	///	夏日
30	27.1	11.1	19.1	9.4	3.0	///	///	///	///	///	夏日
31											
合計値	713.2	471.4	584.7	164.3	127.0				夏日	16	
月平均	24.6	15.7	20.2	6.1	6.4						
月極値	29.4	8.0		11.0	31.0						

# 気象データ 1967年10月

日数: 31 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気
1	22.7	15.8	19.3	3.7	0.0	///	///	///	///	///
2	17.2	11.1	14.2	5.2	-	///	///	///	///	///
3	15.4	7.3	11.4	0.1	-	///	///	///	///	///
4	21.9	9.7	15.8	8.8	-	///	///	///	///	///
5	21.6	9.6	15.6	6.1	0.0	///	///	///	///	///
6	23.4	14.1	18.8	7.4	-	///	///	///	///	///
7	16.2	14.5	15.4	0.6	25.0	///	///	///	///	///
8	19.0	12.8	15.9	3.7	5.0	///	///	///	///	///
9	21.9	8.5	15.2	10.4	-	///	///	///	///	///
10	22.1	5.8	14.0	8.9	-	///	///	///	///	///
11	22.8	5.8	14.3	9.9	-	///	///	///	///	///
12	23.3	7.2	15.3	9.5	-	///	///	///	///	///
13	23.6	11.8	17.7	6.2	4.0	///	///	///	///	///
14	17.2	15.1	16.2	0.7	6.0	///	///	///	///	///
15	19.6	11.7	15.7	5.2	2.0	///	///	///	///	///
16	17.6	9.9	13.8	4.8	0.0	///	///	///	///	///
17	15.6	9.2	12.4	3.4	-	///	///	///	///	///
18	16.3	8.2	12.3	4.7	0.0	///	///	///	///	///
19	17.3	5.5	11.4	9.5	-	///	///	///	///	///
20	19.4	2.3	10.9	9.3	-	///	///	///	///	///
21	14.8	5.4	10.1	0.9	6.0	///	///	///	///	///
22	16.4	10.0	13.2	4.0	8.0	///	///	///	///	///
23	18.6	8.7	13.7	7.5	-	///	///	///	///	///
24	14.6	7.0	10.8	0.2	-	///	///	///	///	///
25	16.3	4.4	10.4	8.5	-	///	///	///	///	///
26	14.9	5.3	10.1	5.7	-	///	///	///	///	///
27	14.4	4.0	9.2	-	22.0	///	///	///	///	///
28	17.4	7.3	12.4	0.3	1.0	///	///	///	///	///
29	15.9	11.5	13.7	3.9	1.0	///	///	///	///	///
30	19.3	4.0	11.7	7.8	1.0	///	///	///	///	///
31	17.8	8.0	12.9	3.7	3.0	///	///	///	///	///
合計値	574.5	271.5	423.8	160.6	84.0					
月平均	18.5	8.8	13.7	5.4	5.3					
月極値	23.6	2.3		10.4	25.0					

# 気象データ 1967年11月

日数: 30 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気
1	15.6	4.9	10.3	8.3	-	-	-	///	///	///
2	18.7	5.8	12.3	7.5	1.0	-	-	///	///	///
3	13.8	10.1	12.0	0.1	5.0	-	-	///	///	///
4	17.4	6.9	12.2	8.7	-	-	-	///	///	///
5	12.2	4.8	8.5	0.7	4.0	-	-	///	///	///
6	18.9	8.5	13.7	5.3	-	-	-	///	///	///
7	17.2	1.9	9.6	7.8	0.0	-	-	///	///	///
8	18.4	3.8	11.1	6.1	-	-	-	///	///	///
9	12.0	10.9	11.5	2.2	0.0	-	-	///	///	///
10	8.1	1.3	4.7	3.3	0.0	0	-	///	///	///
11	10.8	0.8	5.8	8.4	8.0	-	-	///	///	///
12	9.6	-0.5	4.6	-	16.0	1	-	///	///	///
13	8.0	0.5	4.3	3.8	0.0	0	0	///	///	///
14	11.4	1.1	6.3	3.9	4.0	-	-	///	///	///
15	12.9	3.3	8.1	1.4	3.0	-	-	///	///	///
16	8.9	1.1	5.0	1.5	-	-	-	///	///	///
17	10.8	-2.3	4.3	6.1	0.0	-	-	///	///	///
18	12.4	0.1	6.3	6.6	-	-	-	///	///	///
19	7.6	-2.5	2.6	2.7	0.0	-	-	///	///	///
20	7.6	1.1	4.4	-	0.0	0	-	///	///	///
21	6.1	-2.1	2.0	4.8	0.0	0	-	///	///	///
22	8.0	0.5	4.3	0.6	0.0	-	-	///	///	///
23	11.6	1.2	6.4	5.0	-	-	-	///	///	///
24	9.1	-0.1	4.5	///	0.0	0	-	///	///	///
25	5.1	1.8	3.5	///	0.0	0	-	///	///	///
26	10.6	0.7	5.7	///	-	-	-	///	///	///
27	12.4	-0.7	5.9	///	1.0	-	-	///	///	///
28	8.4	0.7	4.6	///	6.0	-	-	///	///	///
29	9.6	2.7	6.2	///	2.0	-	-	///	///	///
30	14.7	7.4	11.1	///	1.0	-	-	///	///	///
31										
合計値	347.9	73.7	211.8	94.8	51.0	1.0	0.0		冬日	6
月平均	11.6	2.5	7.1	4.5	2.3	0.1	0.0			
月極値	18.9	-2.5		8.7	16.0	1.0	0.0			

# 気象データ 1967年12月

日数: 31 要素数: 10

\* 蒸発量、天気の観測は行っていない。

月 日	最高気温	最低気温	平均気温	日照時間	降水量	降雪深	積雪深	蒸発量	午前天気	午後天気	
1	6.7	3.7	5.2	///	0.0	-	-	///	///	///	
2	6.2	-1.7	2.3	///	-	-	-	///	///	///	冬日
3	8.8	1.3	5.1	///	-	-	-	///	///	///	
4	10.4	-1.2	4.6	///	0.0	-	-	///	///	///	冬日
5	8.6	2.2	5.4	///	0.0	-	-	///	///	///	
6	10.0	3.2	6.6	///	0.0	-	-	///	///	///	
7	13.3	2.9	8.1	///	0.0	-	-	///	///	///	
8	6.8	2.6	4.7	///	26.0	33	-	///	///	///	
9	2.2	-2.6	-0.2	///	18.0	21	33	///	///	///	冬日
10	2.6	-1.9	0.4	///	14.0	18	43	///	///	///	冬日
11	4.2	-1.5	1.4	///	2.0	2	49	///	///	///	冬日
12	4.9	-7.2	-1.1	///	0.0	1	34	///	///	///	冬日
13	5.2	-3.2	1.0	///	0.0	0	28	///	///	///	冬日
14	2.5	-5.5	-1.5	///	1.0	-	27	///	///	///	冬日
15	5.8	-4.4	0.7	///	13.0	5	19	///	///	///	冬日
16	2.7	0.3	1.5	///	7.0	5	22	///	///	///	
17	1.9	-0.8	0.6	///	1.0	2	24	///	///	///	冬日
18	4.3	-2.2	1.1	///	0.0	0	19	///	///	///	冬日
19	1.0	-8.2	-3.6	///	16.0	9	14	///	///	///	冬日
20	3.8	-6.4	-1.3	///	0.0	0	24	///	///	///	冬日
21	5.6	-0.2	2.7	///	14.0	13	17	///	///	///	冬日
22	3.6	-0.7	1.5	///	24.0	15	26	///	///	///	冬日
23	2.1	-2.6	-0.2	///	11.0	17	30	///	///	///	冬日
24	0.2	-3.3	-1.5	///	3.0	4	41	///	///	///	冬日
25	0.6	-7.5	-3.4	///	3.0	6	41	///	///	///	冬日
26	2.9	-9.7	-3.4	///	3.0	0	37	///	///	///	冬日
27	5.4	-3.2	1.1	///	2.0	0	27	///	///	///	冬日
28	3.7	0.2	2.0	///	14.0	13	23	///	///	///	
29	0.2	-10.3	-5.0	///	17.0	18	36	///	///	///	冬日
30	-1.2	-6.3	-3.7	///	0.0	1	49	///	///	///	真冬日
31	1.9	-11.9	-5.0	///	19.0	22	43	///	///	///	冬日
合計値	136.9	-86.1	26.1		208.0	205.0	706.0		冬日	22	
月平均	4.4	-2.8	0.8		7.2	8.9	30.7		真冬日	1	
月極値	13.3	-11.9	-		26.0	33.0	49.0				